

IEICE

The Institute of Electronics, Information and Communication Engineering

Summary[SITE TOP](#)[Login](#)

To browse Full-Text PDF,

ID:

Password:

> [Login](#)[Forgotten your password?](#)[Menu](#)[Search](#)[Latest Issue](#)[A Fundamentals](#)[B Communications](#)[C Electronics](#)[D Information & Systems](#)[Abstracts of JPN Edition](#)[Archive](#)[Volume List](#)[Volume List \[JPN Edition\]](#)[Editorial Board & Reviewers](#)[Link](#)[For Authors](#)[IEICE Home Page](#)[Citation Index](#)[Privacy Policy](#)[Copyright & Permissions](#)

Copyright (c) by IEICE

Please login using the form on menu list.

It is required to login for Full-Text PDF.

Exploiting Metadata of Absent Objects for Proxy Cache Consistency

Jooyoung LIM, Byoukyung BAEH, Keun KOO

Publication

IEICE TRANSACTIONS on Communications Vol.E84-B No.5 pp.1406-1412

Publication Date: 2001/05/01

Online ISSN:

Print ISSN: 0916-8516

Type of Manuscript: PAPER

Category: Network

Keyword:

proxy, cache, consistency, metadata, World Wide Web.

[Full Text PDF](#)

Summary:

Caching at the Web proxy server plays an important role in reducing the response time, the network traffic, Web servers. Many recent studies have proposed and examined the replacement and consistency policies for cache, which plays a central role in the performance of caching components. For better performance, they use metadata of Web objects, such as the reference count, reference time, and modification time information of to estimate the re-reference likelihood and freshness of the objects. However, all of these known to the author metadata only when the actual object is in the cache. We observed from various proxy traces that about 20-requests incurred only the validity checks of cached objects without transferring actual objects from the proxy case, only the metadata are necessary at the proxy server. This paper proposes a proxy cache consistency policy metadata even for absent objects. These include the time information of evicted objects from the cache and header-only replies from Web servers. Trace-driven simulations with public proxy cache traces show that the response time and the number of connections to Web servers significantly.